

Electric Lock

Electric Strike

AL-130NO/NC



- Standard, concealed installation
- Power-off to lock(NO) Power-on to lock(NC)
- Working Voltage: DC12V input
- Working Current: 240mA(NO) 120mA(NC)
- Holding Force: 250kg
- Weight: 0.37kg
- Lock jaw size: 29×17×11 mm
- Lock body size: 150×28×35mm
- Suitable for: Wooden door
- Fail Secure/Fail Safe

AL-131NO/NC



- Wide-mouthed, concealed installation
- Power-off to lock(NO) Power-on to lock(NC)
- Working Voltage DC12V input
- Working Current 240mA(NO) 120mA(NC)
- Holding Force: 400kg
- Weight 0.38kg
- Lock jaw size 45×17×11 mm
- Lock body size 150×28×35mm
- Suitable for: Metallic door
- Fail Secure/Fail Safe

AL-132NO/NC



- Special, wide-mouthed, concealed installation
- Power-off to lock(NO) Power-on to lock(NC)
- Working Voltage: DC12V input
- Working Current: 240mA(NO) 120mA(NC)
- Holding Force: 400kg
- Weight: 0.41kg
- Lock jaw size: 45×17×13mm
- Lock body size: 240×25×35mm
- Suitable for: Metallic door
- Fail Secure / Fail Safe

AL-133NC



- concealed installation Power-on to lock
- Working Voltage: DC12V input
- Working Current: 240mA(NO) 120mA(NC)
- Holding Force: 250kg Weight: 0.37kg
- Lock jaw size: 29×13×11mm
- Lock body size: 150×28×35mm
- Suitable for: Metallic door
- Fail Safe

AL-100



- Concealed installation
- Power-on to lock, Door status signal NC output
- Working Voltage: DC12V input
- Working Current: 350mA
- Holding Force: 1000kg
- Weight: 0.72kg
- Size: 200×35×38mm

AL-300



- Concealed installation
- Power-on to lock, lock status LED display, Door status signal NC output
- Working Voltage: DC12V input
- Working Current: 350mA
- Holding Force: 1000kg
- Weight: 0.77kg
- Size: 200×35×38mm

AL-100PF



- Electric bolt bracket in frameless glass door
- For installation of the drop bolt
- 8-12mm thick frameless glass doors

AL-200PZ



- Electric bolt bracket in frameless glass door
- For installation of lock
- 8-12mm thick frameless glass doors

Electromagnetic Lock

AL-180M



- Power-on to lock
- Holding Force: 150kg
- Working Voltage: DC12V/24V input
- Weight: 1.02kg
- Size: 198x21x35mm

AL-180



- Power-on to lock Working
- Voltage: DC12V/24V input
- Holding Force: 150kg
- Weight: 1.07kg
- Size: 166x21x41mm

AL-180D



- Power-on to lock Working
- Voltage: DC12V/24V input
- Holding Force: 2x150kg
- Weight: 2.15kg
- Size: 332x21x41mm

AL-280(LED)



- Power-on to lock
- Holding Force: 270kg
- Working Voltage: DC12V/24V input
- Weight: 1.97kg
- Size: 253x25x48mm

AL-280D(LED)



- Power-on to lock
- Holding Force: 2x270kg
- Working Voltage: DC12V/24V input
- Weight: 3.90kg
- Size: 506x25x48mm

AL-350(LED)



- Power-on to lock
- Holding Force: 300kg
- Working Voltage: DC12V/24V input
- Weight: 2.46kg
- Size: 253x28x55mm

AL-350D(LED)



- Power-on to lock
- Holding Force: 2x300kg
- Working Voltage: DC12V/24V input
- Weight: 4.92kg
- Size: 506x28x55mm

AL-500(LED)



- Power-on to lock
- Holding Force: 500kg
- Working Voltage: DC12V/24V input
- Weight: 4.48kg
- Size: 280x38x70mm

AL-500D(LED)



- Power-on to lock
- Holding Force: 2x500kg
- Working Voltage: DC12V/24V input
- Weight: 8.96kg
- Size: 560x38x70mm

Electric Cabinet Lock

AL-400



- Electric lock for storage box
- Power Supply: DC 12V 0.6A
- Dimension: 54.5mmx41mmx28mm

Brackets for electromagnetic locks

AL-180/280/350PL



- L bracket for AL180/280(LED)/350(LED)
- To install the lock body

AL-500PL



- L bracket for AL-500(LED)
- To install the lock body

AL-180/280/350DPL



- L bracket for AL180D/280D(LED)/350D(LED)
- To install the lock body

AL-500DPL



- L bracket for AL-500D(LED)
- To install the lock body

AL-350PU



- U bracket for AL-350/350D
- To install the iron plate on the glass door (the lock body install on the frame door)

AL-180/280PU



- U bracket for AL180/280/180D/280D
- To install the iron plate on the glass door (the lock body install on the frame door)

AL-500PU



- U bracket for AL-500/500D
- To install the iron plate on the glass door (the lock body install on the frame door)

AL-500PZ



- Z bracket for AL-500(LED)/AL-500D(LED)
- To install the iron plate

AL-180PZ



- Z bracket for AL-180
- To install the iron plate

AL-280/350PZ



- Z bracket for AL-280(LED)/AL-280D(LED)/AL-350(LED)/AL-280D(LED)
- To install the iron plate



ZKTeco Inc.
E-mail: sales@zkteco.com
www.zkteco.com

© Copyright 2014. ZKTeco Inc. ZKTeco Logo is a registered trademark of ZKTeco or a related company. All other product and company names mentioned are used for identification purposes only and may be the trademarks of their respective owners. All specifications are subject to change without notice. All rights reserved.

