

## PATH TO THE FUTURE




### Selling Points

- หน้าจอโค้งที่สมบูรณ์แบบแบบ 1000R - พอดีกับส่วนโค้งของสายตามนุษย์อย่างสมบูรณ์แบบ เพื่อให้คุณมองเห็นทั้งหน้าจอโดยไม่เมื่อยล้า
- ความละเอียดสูง UWQHD - ภาพของเกมจะดูดียิ่งขึ้น โดยสามารถแสดงรายละเอียดของเกมได้มากกว่า ด้วยพื้นที่การแสดงผลที่มากกว่าจากความละเอียดระดับ UWQHD (3440x1440)
- เล่นเกมได้สมาร์ทขึ้น - ด้วยความสามารถของผู้เล่นจับคู่กับ AI เพื่อสร้างแนวทางใหม่ในการเล่นเกมน
- True Color Sync - ด้วยคุณสมบัติ True Color Sync ช่วยให้ผู้ใช้ตั้งค่าสีของจอหลายจอให้ตรงกันได้ง่าย
- Rapid Boost (165Hz + 1ms) - สัมผัสประสบการณ์การเล่นเกมที่ราบรื่นด้วยอัตราการรีเฟรชที่รวดเร็วและเวลาในการตอบสนองที่รวดเร็ว ที่จะช่วยให้คุณได้เปรียบในเกมที่เคลื่อนไหวรวดเร็ว
- HDR400 + สี 10 บิต - ผ่านการรับรอง VESA HDR Display 400 ซึ่งหมายความว่าจอภาพรุ่นนี้สามารถให้สีที่สมจริงที่สุด
- Gaming OSD App - ตั้งค่าการแสดงผลของเกมได้อย่างเหมาะสมที่สุดกับเกมแต่ละประเภทที่เล่น
- โปรไฟล์ CEC - ตั้งค่าโปรไฟล์สำหรับอุปกรณ์หลายชุด และสามารถตรวจจับการตั้งค่าของคุณได้โดยอัตโนมัติ
- แสดงภาพจากหน้าจอมือถือ - ได้รับการออกแบบมาเป็นพิเศษเพื่อแสดงหน้าจอโทรศัพท์มือถือ บนจอภาพแบบ PBP 18:9 ซ ...



Picture and logos



1. Headset Hanger
2. Macro Key
3. 5-way joystick navigator
4. Power Button
5. 2x HDMI (2.0)
6. 1x Display Port (1.4)
7. 1x USB 3.2 Gen1 Type C
8. 1x Earphone out
9. 2x USB 3.2 Gen1 Type A
10. 1x USB 3.2 Gen1 Type B Upstream Port
11. Kensington Lock

## Specification

Display	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22*333.72 mm
	Curvature	Curve 1000R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Pixel pitch	0.23175(H)X0.23175(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	FreeSync Premium
	HDR (High dynamic range)	HDR400
	SDR Brightness (nits)	400
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	71.52~245.85 KHz(H) / 48~165 Hz(V)
	Activated Range	48Hz-165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	102.7%/86.3%
	NTSC (CIE1931 area percentage/overlap)	86.2%/79.8%
	sRGB (CIE1976 area percentage/overlap)	117.8%/98.6%
	sRGB (CIE1931 area percentage/overlap)	121.8%/99.6%
	Adobe RGB (CIE1976 area percentage/overlap)	100.9%/90.4%
	Adobe RGB (CIE1931 area percentage/overlap)	90.2%/84%
	DCI-P3 (CIE1976 area percentage/overlap)	93.8%/92.7%
	DCI-P3 (CIE1931 area percentage/overlap)	89.8%/89%
	Rec.709 (CIE1976 area percentage/overlap)	117.8%/98.6%
Rec.709 (CIE1931 area percentage/overlap)	117.8%/98.6%	
Display Colors	1.07B	
Color bit	10 bits (8 bits + FRC)	
Note_DP	3440 x 1440 (Up to 165Hz)	
Note_HDMI™	3440 x 1440 (Up to 100Hz)	
Note_DVI	N/A	
Onboard Graphics	HDMI™	2



MONITOR

## MPG ARTYMIS 343CQR

MPG ARTYMIS 343CQR

I/O Ports	HDMI™ version	2.0
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.4
	DisplayPort HDCP version	2.2
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
	USB 3.2 Gen 1 Type B	1
I/O Ports (Front)	USB 5Gbps (USB 3.2 Gen 1 Type-A)	2
Power	Power Supply Type	Power Cable
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	N/A
	Power Cord Type	C13
In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	0
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 100 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	897 x 295 x 515
	Outer Carton Dimension (WxDxH) (inch)	35.31 x 11.61 x 20.28
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	795.3 x 315.6 x 422.5
	Product Dimension with Stand (WxDxH) (inch)	31.31 x 12.43 x 16.63
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	795.3 x 163.1 x 365.5
	Product Dimension without Stand (WxDxH) (inch)	31.31 x 6.42 x 14.39
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	633.5 x 315.6 x 371.1
	Stand Dimension (WxDxH) (inch)	24.94 x 12.43 x 14.61
Dimension & Weight	Inside Carton Dimensions (WxDxH) (mm)	882 x 280 x 490
	Inside Carton Dimensions (WxDxH) (inch)	34.72 x 11.02 x 19.29
	Weight (Net kg)	9.17
	Weight (Gross kg)	12.9
Warranty	Warranty	36M
Barcode Info	EAN	4719072803513
	UPC	824142243848
	UCC14	10824142243845