

PATH TO THE FUTURE

The Most Efficient & Professional Monitor The MSI PRO MP273QP WQHD monitor, with DisplayPort & HDMI interfaces, is optimized for the finest image and color quality with an IPS grade panel. It is designed for your programming, coding & website design workspace. It not only makes every line & detail clear for your projects but also lets you enjoy the smoothest streaming & online video experience.



Picture and logos

SELLING POINTS

- พาเนล IPS ขนาด 27 นิ้ว มุมมองกว้าง 178° มอบภาพคุณภาพระดับพรีเมียมอย่างแท้จริง
- รางวัล Red Dot Design Award 2021 - เข้ากับการตกแต่งบ้านหรือสำนักงานของคุณด้วยดีไซน์ที่หรูหราและมีสไตล์ที่สุด
- หน้าจอได้รับการรับรองจาก TÜV ช่วยปกป้องและดูแลสุขภาพสายตา
- เทคโนโลยี MSI EyeSergo พร้อมเทคโนโลยีป้องกันการสั่นไหว ช่วยลดอาการเมื่อยล้าและปวดตา
- เทคโนโลยี Less Blue Light PRO ช่วยถนอมสายตาในขณะที่เดียวกันก็ยังคงสีสันที่สดใสและรายละเอียดคมชัด
- MSI Eye-Q Check ช่วยให้ตรวจสอบสุขภาพดวงตาดด้วยตนเอง และเตือนให้พักสายตาขณะใช้งานหน้าจอานาน
- ขาตั้งออกแบบตามหลักสรีรศาสตร์ รองรับการปรับระดับเอียง หมุน ปรับความสูง และหมุน
- ซอฟต์แวร์ MSI Productivity Intelligence (P.I.) สุดพิเศษ มอบประสิทธิภาพการทำงานที่ชาญฉลาดและใช้งานง่ายที่สุด
- ฟังก์ชัน KVM ช่วยให้ควบคุมอุปกรณ์หลายเครื่องได้อย่างราบรื่นโดยใช้ชุดคีย์บอร์ด เมาส์ และหน้าจอμονιเตอร์ Modern MD272 series เพียงชุดเดียว
- อัตราการรีเฟรช 100 Hz มอบประสบการณ์การรับชมที่ดีขึ้น
- การเชื่อมต่อ USB Type-C ในตัว รองรับการจ่ายไฟ 65W ช่วยให้เชื่อมต้อและชาร์จอุปกรณ์ของคุณได้อย่างง่ายดาย
- รองรับการเชื่อมต่อหลากหลายอุปกรณ์ด้วยพอร์ต Type-C, HDMI™ และ DP
- เพลิดเพลินกับสภาพแวดล้อมที่สะอาดที่สุดด้วยการออกแบบจัดการสายเคเบิลที่สะดวกและถอดออกได้
- รองรับการจัดตั้งมาตรฐาน VESA
- ลำโพงในตัว 2 ตัว

1. 1x DC Jack
2. 1x Type C (DP Alternate)
3. 1x DisplayPort (1.2a)
4. 1x HDMI™ (1.4b)
5. 1x Headphone-out
6. 1x USB 2.0 Type B
7. 2x USB 2.0 Type A



SPECIFICATION

Model	Part No	9S6-3PB19H-078
	MKT Name	Modern MD272XP
	MKT Spec	Modern MD272XP
	Entity MKT Name	Modern MD272XP
	Color	ID1/Black-Black
I/O Ports	HDMI™	1
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.2
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
I/O Ports (Front)	USB 2.0 Type B	1
I/O Ports (Rear)	USB 2.0 Type A	2
Power	Card Reader	N/A
	Annual Energy Consumption (KWh)	17
	Power Type	External Adaptor 19V 5.79A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	D
	Adapter's KC safety Number	HU10450-13034
	Power Cord Type	C5
	QC Output Power	N/A
PD Output	Type C	
PD Output Power	65W	

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	5.7
	Weight (Gross kg)	8.
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	613.5 x 200.8 x 413.3
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 7.91 x 16.27
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	230.81 x 200.81 x 427.68
	Stand Dimension (WxDxH) (inch)	9.09 x 7.91 x 16.84
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	613.5 x 57.5 x 362.5
	Product Dimension without Stand (WxDxH) (inch)	24.15 x 2.26 x 14.27
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
Weight	Weight Without Stand (kg)	3.75
Warranty	Warranty	36M
Barcode Info	EAN	4711377078672
	UPC	824142317488
	UCC14	10824142317485