

PATH TO THE FUTURE

See beyond the Game. Visualize your victory. Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, MAG series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

SELLING POINTS

- อัตราความโค้งที่ 1500R - มอบความเข้ากันกับส่วนโค้งของสายตามนุษย์ได้อย่างสมบูรณ์แบบให้คุณรับชมภาพทั้งหน้าจอโดยไม่เมื่อยล้า
- อัตราการรีเฟรช 144Hz - มอบประสบการณ์การเล่นเกมที่น่าตื่นตาตื่นใจที่ราบรื่นยิ่งกว่าจอมอนิเตอร์โดยทั่วไป
- เวลาตอบสนอง 1ms - ตอบสนองรวดเร็วมากยิ่งขึ้นและมอบเฟรมเรทที่นุ่มนวลขึ้นอีกระดับ
- Wide Color Gamut - มอบสีและรายละเอียดภาพภายในเกมดูสมจริงและละเอียดยิ่งขึ้น
- AMD FreeSync™ Premium Technology - ป้องกันการฉีกขาดหรือกระตุกของหน้าจอ ทำให้การเล่นเกมเป็นไปอย่างราบรื่นเป็นพิเศษ
- Anti-Flicker และ Less Blue Light - ให้คุณสามารถเล่นเกมได้นานขึ้นและป้องกันอาการเมื่อยล้าของดวงตาขณะใช้งานจอมอนิเตอร์
- Frameless Design - เพลิดเพลินกับประสบการณ์การเล่นเกมขั้นสุดด้วยขอบจอที่บางเป็นพิเศษ
- มุมมองที่กว้างถึง 178° - ให้คุณเพลิดเพลินไปกับจอที่มีมุมมองกว้างขวางกว่าจอโดยปกติ



1. 5-way joystick navigator
2. 1x DC Jack
3. 2x HDMI 1.4b
4. 1x Display Port 1.2a
5. 1x Earphone out
6. 1x Kensington lock

SPECIFICATION

Model	Part No	9S6-3BA01T-007
	MKT Name	Optix G24C4
	MKT Spec	Optix G24C4
	Entity MKT Name	Optix G24C4
	Color	ID1/Black-Black
Display	Screen Size	23.6" (60cm)
	Active Display Area (mm)	521.39 (H) x 293.2848 (V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	55.3~162 KHz(H) /48~144 Hz(V)
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (Tr + Tf)	N/A
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	100.7% / 86.1%
	NTSC (CIE1931 area percentage/overlap)	85.6% / 80.0%
	sRGB (CIE1976 area percentage/overlap)	115.5% / 98.4%
	sRGB (CIE1931 area percentage/overlap)	120.9% / 99.6%
	Adobe RGB (CIE1976 area percentage/overlap)	99.0% / 89.5%
	Adobe RGB (CIE1931 area percentage/overlap)	89.6% / 83.3%
	DCI-P3 (CIE1976 area percentage/overlap)	92.0% / 91.6%
	DCI-P3 (CIE1931 area percentage/overlap)	89.1% / 88.9%
	Rec.709 (CIE1976 area percentage/overlap)	115.5% / 98.4%
	Rec.709 (CIE1931 area percentage/overlap)	120.9% / 99.6%
	Display Colors	16.7M
	Color bit	8 bits
	Note_DP	1920 x 1080 (up to 144Hz)
	Note_HDMI™	1920 x 1080 (up to 144Hz)
	Note_DVI	N/A
Onboard Graphics	HDMI™	2
I/O Ports	HDMI™ version	1.4b
	HDMI™ HDCP version	N/A
	DisplayPort	1
	DisplayPort version	1.2
	DisplayPort HDCP version	N/A
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	Headphone-out	1
	Lock type	Kensington Lock
	I/O Ports (Front)	Thunderbolt
Power	Power Supply Type	External Adaptor 20V 2.25A
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
	PD Output	N/A
PD Output Power	N/A	

In The Box	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
	Design	Adjustment (Tilt)
VESA Mounting		100x100mm
Frameless Design		Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	606 x 172 x 409
	Outer Carton Dimension (WxDxH) (inch)	23.86 x 6.77 x 16.1
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	536.7 x 225.3 x 429
	Product Dimension with Stand (WxDxH) (inch)	21.13 x 8.87 x 16.89
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	536.7 x 67.5 x 326.3
	Product Dimension without Stand (WxDxH) (inch)	21.13 x 2.66 x 12.85
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	536.7 x 225.4 x 429
	Stand Dimension (WxDxH) (inch)	21.13 x 8.87 x 16.89
Dimension & Weight	Inside Carton Dimensions (WxDxH) (mm)	606 x 172 x 409
	Inside Carton Dimensions (WxDxH) (inch)	23.86 x 6.77 x 16.1
	Weight (Net kg)	3.4
	Weight (Gross kg)	5
Warranty	Warranty	36M