

## Work Smart. Play Hard.

Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. MSI Optix MAG162V is suitable for various uses, the portable design allows you to bring it everywhere with you. No matter you are working or gaming, there's no doubt that MSI Optix MAG162V will be your best choice.




Picture and logos

## SELLING POINTS

### PRO MP161

- 15.6" FHD IPS Panel - Enhance your viewing experience.
- Portable Design helps bring it anywhere you want without strain or pressure with a protection bag.
- Ultra slim profile with a 1.08 cm (0.4") only thickness, and extremely light weighing in only at 0.75 kg (1.65 lbs).
- MSI EyesErgo technology with Anti-flicker, Less Blue Light, and Anti-glare panel to protect your eyes.
- Type-C/mini HDMI™ Multi Input - allowing you to connect to any device effortlessly, such as a smartphone, camera, laptop, or PC.
- Ergonomically designed fold-out kickstand with a 0° ~ 180° design enables you to orient the screen in both portrait and landscape modes.
- Ergonomic software, Display Kit, provides the most convenient tool, the proper color & display mode to you while working with it every day.
- Built-in Speakers - Allow you a great audio experience while on the move.



1. Power Button
2. Controller
3. 1x Earphone out
4. 1x mini HDMI™
5. 1x USB Type C
6. 1x USB Type C

**SPECIFICATION**

|                  |                                             |                                |
|------------------|---------------------------------------------|--------------------------------|
| Barcode Info     | EAN                                         | 4711377022088                  |
|                  | UPC                                         | 824142303832                   |
|                  | UCC14                                       | 10824142303839                 |
| Model            | Part No                                     | 9S6-3PB70H-006                 |
|                  | MKT Name                                    | PRO MP161                      |
|                  | MKT Spec                                    | PRO MP161                      |
|                  | Entity MKT Name                             | PRO MP161                      |
|                  | Color                                       | ID1/Iron Gray-Iron Gray        |
| Display          | Screen Size                                 | 15.6" (39.6 cm)                |
|                  | Active Display Area (mm)                    | 344.16(H)×193.59(V)            |
|                  | Curvature                                   | Flat                           |
|                  | Panel Type                                  | IPS                            |
|                  | Resolution                                  | 1920x1080 (FHD)                |
|                  | Aspect Ratio                                | 16:9                           |
|                  | Dynamic Refresh Rate technology             | Adaptive-Sync                  |
|                  | SDR Brightness (nits)                       | 250                            |
|                  | Contrast Ratio                              | 600:1                          |
|                  | DCR (Dynamic Contrast Ratio)                | 100000000:1                    |
|                  | Signal Frequency                            | 104.9~132 KHz(H) / 48~60 Hz(V) |
|                  | Refresh Rate                                | 60Hz                           |
|                  | Response Time (GTG)                         | 4ms                            |
|                  | View Angles                                 | 170°(H)/170°(V)                |
|                  | Surface Treatment                           | Anti-glare                     |
|                  | NTSC (CIE1976 area percentage/overlap)      | 44%/44%                        |
|                  | NTSC (CIE1931 area percentage/overlap)      | 45%/45%                        |
|                  | sRGB (CIE1976 area percentage/overlap)      | 51%/35%                        |
|                  | sRGB (CIE1931 area percentage/overlap)      | 63%/63%                        |
|                  | Adobe RGB (CIE1976 area percentage/overlap) | 43%/43%                        |
|                  | Adobe RGB (CIE1931 area percentage/overlap) | 47%/47%                        |
|                  | DCI-P3 (CIE1976 area percentage/overlap)    | 40%/37%                        |
|                  | DCI-P3 (CIE1931 area percentage/overlap)    | 46%/46%                        |
|                  | Rec.709 (CIE1976 area percentage/overlap)   | 51%/35%                        |
|                  | Rec.709 (CIE1931 area percentage/overlap)   | 63%/63%                        |
|                  | Rec.2020 (CIE1976 area percentage/overlap)  | 29%/29%                        |
|                  | Rec.2020 (CIE1931 area percentage/overlap)  | 33%/33%                        |
|                  | Display Colors                              | 262K                           |
|                  | Color bit                                   | 6 bits                         |
| Note_HDMI™       | 1920 x 1080 (Up to 60Hz)                    |                                |
| Note_DVI         | N/A                                         |                                |
| I/O Ports        | HDMI™                                       | 1                              |
|                  | HDMI™ version                               | 2.0b                           |
|                  | HDMI™ HDCP version                          | 2.3                            |
|                  | USB Type C (DisplayPort Alternate)          | 2                              |
|                  | Speaker                                     | 2                              |
| I/O Ports (Rear) | Card Reader                                 | N/A                            |
| Power            | Annual Energy Consumption (KWh)             | 7                              |
|                  | Power Type                                  | USB Cable                      |
|                  | Power Input                                 | 100~240V, 50/60Hz              |
|                  | Energy Efficiency Rating                    | C                              |
|                  | Adapter's KC safety Number                  | N/A                            |
|                  | QC Output Power                             | N/A                            |

|                                         |                                                |                        |
|-----------------------------------------|------------------------------------------------|------------------------|
| In The Box                              | 3.5mm Mic Cable                                | 0                      |
|                                         | Switch Case                                    | 0                      |
|                                         | Portable Screen Protection Case                | 0                      |
|                                         | Monitor Hood                                   | 0                      |
|                                         | Speaker (Accessories)                          | 0                      |
|                                         | DisplayPort Cable                              | 0                      |
|                                         | HDMI™ Cable                                    | 1                      |
|                                         | DVI Cable                                      | 0                      |
|                                         | USB Type A to Type B Cable                     | 0                      |
|                                         | USB Type C to Type A Cable                     | 0                      |
|                                         | USB Type C to Type C Cable                     | 1                      |
|                                         | Thunderbolt Cable                              | 0                      |
|                                         | VGA Cable                                      | 0                      |
|                                         | 3.5mm audio Cable                              | 0                      |
|                                         | 3.5mm combo audio Cable                        | 0                      |
|                                         | Mouse Bungee Unit                              | 0                      |
|                                         | VESA Screw                                     | 0                      |
|                                         | Power Cord                                     | 0                      |
|                                         | AC Adaptor                                     | 0                      |
|                                         | Warranty Card                                  | 0                      |
|                                         | Quick Guide                                    | 1                      |
| Design                                  | Adjustment (Tilt)                              | 0° ~ 180°              |
| Outer Carton Dimension (WxDxH)          | Outer Carton Dimension (WxDxH) (inch)          | N/A                    |
| Product Dimension with Stand (WxDxH)    | Product Dimension with Stand (WxDxH) (mm)      | 362.26 x 232.92 x 17.8 |
|                                         | Product Dimension with Stand (WxDxH) (inch)    | 14.26 x 9.17 x 0.7     |
| Product Dimension without Stand (WxDxH) | Product Dimension without Stand (WxDxH) (mm)   | 362.26 x 232.92 x 10.8 |
|                                         | Product Dimension without Stand (WxDxH) (inch) | 14.26 x 9.17 x 0.43    |
| Stand Dimension (WxDxH)                 | Stand Dimension (WxDxH) (mm)                   | 134.91 x 39 x 7.5      |
|                                         | Stand Dimension (WxDxH) (inch)                 | 5.31 x 1.54 x 0.3      |
| Dimension & Weight                      | Inside Carton Dimension (WxDxH) (inch)         | N/A                    |
|                                         | Weight (Net kg)                                | 0.75kg                 |
| Weight                                  | Weight (Gross kg)                              | N/A                    |
|                                         | Weight Without Stand (kg)                      | N/A                    |
| Warranty                                | Warranty                                       | 36M                    |