

#### PRO MP2422C

PRO MP2422C

# PATH TO THE FUTURE

The Most Efficient & Professional Monitor The MSI PRO MP243 Series Full HD LED monitor, with HDMI™ & VGA interfaces, is optimized for the finest image and color quality with a IPS grade panel. It is designed for your programming, coding & website design workspace. It not only makes every line & detail clear for your projects but also let you enjoy the smoothest streaming & online video experience.



Picture and logos

#### **SELLING POINTS**

- จอโค้ง 1500R มอบประสบการณ์การใช้งานที่สมจริง เหมาะสำหรับทั้งทำงานและความบันเทิง
- ขนาดหน้าจอ 23.6 นิ้ว ที่เหมาะสมสำหรับการเขียนโค้ด ออกแบบเว็บไซต์ และโปรแกรมต่างๆ
- หน้าจอที่ได้รับการรับรองจาก TÜV ช่วยลดการกระพริบของภาพ (Anti-Flicker) และลดแสงสีฟ้า (Less Blue Light) ช่วยถนอมสายตา และรักษา สุขภาพดวงตาของคุณ
- อัตรารีเฟรช 100 Hz และเวลาตอบสนอง 1 มิลลิวินาที (MPRT) ให้ประสบการณ์การรับชมที่เหนือกว่า
- เทคโนโลยี Less Blue Light แบบฮาร์ดแวร์ คงสีของภาพไว้อย่างครบถ้วนขณะที่ลดแสงสีฟ้าที่อันตรายไปด้วย
- ซอฟต์แวร์ตามหลักสรีรศาสตร์อย่าง Display Kit มอบเครื่องมือที่สะดวกที่สุด พร้อมโหมดสีและการแสดงผลที่เหมาะสมกับการทำงานประจำวัน ของคุณ
- เชื่อมต่อได้หลากหลายกับอุปกรณ์ที่แตกต่างด้วยพอร์ต HDMI™ และ D-Sub (VGA)
- ประกอบและถอดอุปกรณ์ใด้ง่ายด้วยการออกแบบที่ไม่ต้องใช้เครื่องมือ
- ออกแบบสำหรับรองรับขาตั้งมาตรฐาน VESA
- เพลิดเพลินไปกับเสียงที่สมจริงด้วยลำโพงอัพเกรดในตัว



- 1. 1x DC Jack
- **2.** 1x HDMI<sup>™</sup> (1.4)
- 3. 1x D-Sub (VGA)
- 4. 1x Line-in
- 5. 1x Headphone-out
- 6. 1x Kensington Lock
- 7. 1x 5-Way Navigator + OSD Button




# PRO MP2422C

PRO MP2422C

#### **SPECIFICATION**

	Part No	9S6-3PB0CM-024
	MKT Name	PRO MP2422C
Model	MKT Spec	PRO MP2422C
r roder	Entity MKT Name	PRO MP2422C
	Color	ID1/Black-Black
	HDMI™	1
I/O Ports	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
	D-Sub	1
	Line-in	1
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
I/O Ports (Rear)	Card Reader	N/A
	Annual Energy Consumption (KWh)	N/A
	Power Type	External Adaptor 12V 2.5A
	Power Input	100~240V, 50/60Hz
Power	Energy Efficiency Rating	E
rower	Adapter's KC safety Number	N/A
	Power Cord Type	C13
	QC Output Power	N/A
	PD Output Power	N/A
	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
In The Day	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
In The Box	USB Type C to Type C Cable	1
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
	Quick Guide	1
	Adjustment (Tilt)	-7° ~ 22°
Design	VESA Mounting	100x100mm
J	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	2.95
	Weight (Gross kg)	4.39
	Product Dimension with Stand (WxDxH) (mm)	539.8 x 414.1 x 203.0
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (inch)	21.25 x 16.3 x 7.99
	Stand Dimension (WxDxH) (mm)	203 x 203 x 145.4
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (inch)	7.99 x 7.99 x 5.72
· ,	Product Dimension (WXDXH) (Inch)	
Product Dimension without Stand (WxDxH)		539.8 x 321.8 x 74.2
	Product Dimension without Stand (WxDxH) (inch)	21.25 x 12.67 x 2.92
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
Weight	Weight Without Stand (kg)	2.57
Warranty	Warranty	36M





# PRO MP2422C

PRO MP2422C

Barcode Info	EAN	4711377096980
	UPC	824142323526
	UCC14	10824142323523