

## PRO MP341CQ

PRO MP341CO

# **Be Your Window To The World**



#### Picture and logos

#### **SELLING POINTS**

- 21:9 UWQHD 34" จอมอนิเตอร์รุ่นนี้จะช่วยปรับปรุงการทำงานจำเป็นต้องทำงานในหลากหลายอย่างพร้อมกัน และขยายขอบเขตพื้นที่การใช้ งานของคุณ
- ความโค้ง 1500R มอบประสบการณ์การรับชมที่ดื่มด่ำที่สุดสำหรับการทำงานและความบันเทิงของคุณ
- จอมอนิเตอร์ที่ได้รับการรับรองจาก TÜV ช่วยปกป้องสายตาของคุณและรักษาสุขภาพดวงตาของคุณ
- เทคโนโลยี Anti-Flicker ช่วยป้องกันดวงตาของคุณ และช่วยลดความเมื่อยล้าของดวงตาของคุณ
- ซอฟต์แวร์ที่ออกแบบตามหลักสรีรศาสตร์ Display Kit มอบเครื่องมือที่สะดวกสบายที่สุด โหมดสีและการแสดงผลที่เหมาะสมสำหรับคุณในขณะที่ ใช้งานในทุก ๆ วัน
- อัตราการรีเฟรช 100Hz ให้ประสบการณ์การรับชมที่ดียิ่งขึ้น
- รักษาความยืดหยุ่นให้กับอุปกรณ์ต่างๆ ของคุณด้วยแหล่งอินพุตที่หลากหลาย: 2x พอร์ต HDMI™ และ 1x พอร์ต DP
- รองรับการติดตั้งมาตรฐาน VESA Mount
- ให้คุณเข้าร่วมการประชุมออนไลน์ได้สะดวกด้วยลำโพงในตัว



- 1. 1x DC Jack
- 2. 1x HDMI™ (1.4)
- 3. 1x D-Sub (VGA)
- 4. 1x Line-in
- **5.** 1x Headphone-out
- 6. 1x Kensington Lock
- 7. 1x 5-Way Navigator + OSD Button



# PRO MP341CQ

PRO MP341CQ

#### **SPECIFICATION**

	Part No	9S6-3PB2CT-015
Model	MKT Name	PRO MP341CQ
	MKT Spec	PRO MP341CQ
	Color	ID1/Black-Black
Display	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22(H)x333.72(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Pixel pitch (mm)	0.23175(H)x0.23175(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	FreeSync
	Dynamic Refresh Rate Activated Range	48~100Hz
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	58.56~148.1 KHz(H) / 48~100 Hz(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	12ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare Anti-glare
	NTSC (CIE1976 area percentage/overlap)	101.36% / 86%
	NTSC (CIE1931 area percentage/overlap)	86.07% / 80.08%
	sRGB (CIE1976 area percentage/overlap)	116.25% / 98.55%
	sRGB (CIE1931 area percentage/overlap)	121.52% / 99.62%
	Adobe RGB (CIE1976 area percentage/overlap)	99.62% / 89.57%
	Adobe RGB (CIE1931 area percentage/overlap)	90.06% / 83.53%
	DCI-P3 (CIE1976 area percentage/overlap)	92.58% / 91.96%
	DCI-P3 (CIE1931 area percentage/overlap)	89.58% / 89.17%
	Rec.709 (CIE1976 area percentage/overlap)	116.25% / 98.55%
	Rec.709 (CIE1931 area percentage/overlap)	121.52% / 99.62%
	Rec.2020 (CIE1976 area percentage/overlap)	67.46% / 67.46%
	Rec.2020 (CIE1931 area percentage/overlap)	64.27% / 64.27%
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
I/O Ports	HDMI™	2
	HDMI™ version	2.0b
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.2
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	G
	Power Cord Type	C13
	1	



### PRO MP341CO

PRO MP341CQ

	3.5mm Mic Cable	0
In The Box	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
		0
	DVI Cable	1-
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	0
	Warranty Card	0
	Quick Guide	1
Pallet	pcs/Carton	1
Design	Adjustment (Tilt)	-3.5° ~ 21.5°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	980 x 187 x 490
	Inside Carton Dimension (WxDxH) (inch)	38.58 x 7.36 x 19.29
	Weight (Net kg)	7.7
	Weight (Gross kg)	10.3
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	809.3 x 237.0 x 469.5
	Product Dimension with Stand (WxDxH) (inch)	31.86 x 9.33 x 18.48
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	240.0 x 237.0 x 176.6
	Stand Dimension (WxDxH) (inch)	9.45 x 9.33 x 6.95
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	809.3 x 106.8 x 365.8
	Product Dimension without Stand (WxDxH) (inch)	31.86 x 4.2 x 14.4
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	998 x 202 x 515
	Outer Carton Dimension (WxDxH) (inch)	39.29 x 7.95 x 20.28
Weight	Weight Without Stand (kg)	6.5
<u>-</u>		
Warranty	Warranty	36M
warranty	Warranty EAN	4711377013611
Warranty  Barcode Info	Warranty EAN UPC	