

คีย์ คุณสมบัติ

- Lifelike True Beauty: International color standard Pantone validated and 100% sRGB wide color gamut
- Precise Color: ColorPro Verified with factory pre-calibration for overwhelmed Delta E<2 color
- Multimedia Devices: Support USB-C with 60W high-speed charging, plus HDMI 1.4, DisplayPort 1.2, USB 3.2
- Unlimited Flexibility: Auto Pivot &
 Ergonomic Stand with tilt, swivel, pivot and
 height adjustments
- The Visible Difference: FHD (1920*1080) resolution IPS panel with 24" frameless design



สินค้า **รายละเอียด**

Designed with creative professionals in mind, the ViewSonic VP2456 delivers stunning true-to-life colors on screen. Pantone validated 100% sRGB coverage provides precise color reproduction, ensuring your work looks how it should, every time. A USB-C port that easily connects with your devices for easy charging and data transfer. Ergonomic engineering gives you the flexibility to do more without injury, while Auto Pivot lets shift between horizontal and vertical orientations effortlessly, letting your work be viewed how it's supposed to be.

เยี่ยมชม เรา

www.viewsonic.com

DISPLAY		ADDITIONAL HARDWARE	
Display Size (in.):	24	Kensington Lock Slot:	1
Viewable Area (in.):	23.8	Cable Organization:	Yes
Panel Type:	IPS Technology	CONTROLS	
Resolution:	1920 x 1080	Physical Controls:	Key 1, Key 2, Key 3, Key 4, Key 5, Key 6 (power)
Resolution Type:	FHD (Full HD)		Input Select, Audio Adjust,
Static Contrast Ratio:	1,000:1 (typ)	On Screen Display:	ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Dynamic Contrast Ratio:	20M:1	OPERATING CONDITIONS	
Light Source:	LED	Temperature:	32°F to 104°F (0°C to 40°C)
Brightness:	250 cd/m² (typ)	Humidity (non-condensing):	20% to 90%
Colors:	16.7M	WALL MOUNT	
Color Space Support:	8 bit (6 bit + FRC)	VESA Compatible:	100 x 100 mm
Aspect Ratio:	16:9	INPUT SIGNAL	
Response Time (Typical GTG):	5ms	Frequency Horizontal:	30 ~ 83KHz
Response Time (GTG w/OD):	5ms	Frequency Vertical:	48 ~ 75Hz
Viewing Angles:	178º horizontal, 178º vertical	VIDEO INPUT	
Backlight Life (Hours):	30000 Hrs (Min)		TMDS - HDMI (v1.4), PCI-E -
Curvature:	Flat	Digital Sync:	DisplayPort (v1.2), Micro-Packet - Type C
Refresh Rate (Hz):	60	ERGONOMICS	•
Variable Refresh Rate	Yes	Height Adjust (mm):	130
Technology:	res	Swivel:	120°
Low Blue Light:	Software solution	Tilt (Forward/Back):	-5° / 21°
Flicker-Free:	Yes	Pivot (Right/Left):	90° / 90°
Color Gamut:	Adobe RGB: 80% size / 78% coverage (Typ) DCI-P3: 80% size / 80% coverage (Typ) EBU: 107% size / 99% coverage (Typ) REC709: 108% size / 100% coverage (Typ) SMPTE-C: 117% size / 100% coverage (Typ) NTSC: 77% size (Typ) sRGB: 108%	WEIGHT (IMPERIAL)	
		Net (lbs):	14.4
		Net Without Stand (lbs):	8.9
		Gross (lbs):	18.5
	size / 100% coverage (Typ)	WEIGHT (METRIC)	
Pixel Size:	0.275 mm (H) x 0.275 mm (V)	Net (kg):	6.5
Surface Treatment:	Anti-Glare, Hard Coating (3H)	Net Without Stand (kg):	4
COMPATIBILITY	4000 4000	Gross (kg):	8.4
PC Resolution (max):	1920x1080	DIMENSIONS (IMPERIAL) (W	
Mac® Resolution (max):	1920x1080	Packaging (in.):	24.4 x 15.4 x 9
PC Operating System:	Windows 10/11 certified; macOS tested	Physical (in.):	21.2 x 15.29~20.41 x 8.5
Mac® Resolution (min):	1920x1080	Physical Without Stand (in.):	21.2 x 12.6 x 2
ONNECTOR		DIMENSIONS (METRIC) (WXHXD)	
USB 3.2 Type A Down Stream:	3	Packaging (mm):	620 x 392 x 228
USB 3.2 Type B Up Stream:	1	Physical (mm):	539 x 388.46~518.46 x 215
USB 3.2 Type C Up Stream;	4 (00)	Physical Without Stand (mm):	539 x 320 x 52
DisplayPort Alt mode :	1 (60W power charger)	GENERAL	
HDMI 1.4:	1		cTUVus, FCC-B, ICES003, Energy
DisplayPort:	1	Regulations:	Star, EPEAT, CEC, NOM, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BSMI, VCCI, PSE, BIS
Power in:	3-pin Socket (IEC C14 / CEE22)		
UDIO			
Internal Speakers:	2Watts x2	DAOKA 05 001:75:173	VP2456 x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v1.4; Male- Male) x1, USB Type-C Cable (Male- Male) x1, USB A/B Cable (v3.2; Male Male) x1, Quick Start Guide x1
POWER	11 GW	PACKAGE CONTENTS:	
Eco Mode (Conserve):	11.6W		, .
Eco Mode (optimized):	13.6W	Recycle/Disposal:	Please dispose of in accordance with local, state or federal laws.
Consumption (typical):	16W	Warranty:	*Warranty offered may differ from
Consumption (max):	27.5W		market to market
Voltage:	AC 100-240V	Power Management:	Energy Star standards, EPEAT
Stand-by:	0.3W		
Power Supply:	Internal Power Supply		

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.