

## Be Your Window To The World




Picture and logos

### SELLING POINTS

- จอมอนิเตอร์คมชัดระดับ WQHD: จอภาพ IPS ขนาด 27 นิ้ว ความละเอียด WQHD (2560x1440) มุมมองกว้าง 178° ให้ภาพที่สวยงามจริงอย่างแท้จริง
- ดีไซน์หรูหรา: เจ้าของรางวัล Red Dot Design Award 2021 ดีไซน์สวยงาม ทันสมัย เข้าได้กับการตกแต่ง
- ปกป้องสายตา: หน้าจอผ่านการรับรองโดย TÜV ช่วยดูแลสุขภาพดวงตา
- เทคโนโลยี MSI EyesErgo: เทคโนโลยีลดการกะพริบของหน้าจอ (Anti-Flicker) ช่วยลดความเมื่อยล้าของสายตา
- Less Blue Light PRO กรองแสงสีฟ้าที่เป็นอันตราย พร้อมรักษารายละเอียดและสีสันทันของภาพ
- MSI Eye-Q Check: ช่วยตรวจเช็คสุขภาพตา และเตือนให้พักสายตาเมื่อใช้งานจอภาพต่อเนื่องเป็นเวลานาน
- ปรับระดับได้อย่างอิสระ: ขาตั้งออกแบบตามหลักสรีรศาสตร์ สามารถปรับเอียง หมุน ปรับความสูง หรือหมุนแนวตั้ง (Pivot) ได้
- MSI Productivity Intelligence (P.I.): ซอฟต์แวร์เฉพาะ ช่วยเพิ่มประสิทธิภาพการทำงานให้มีประสิทธิภาพมากขึ้น
- ฟังก์ชัน KVM: ควบคุมอุปกรณ์ได้หลายเครื่องพร้อมกันผ่านคีย์บอร์ด เมาส์และจอมอนิเตอร์รุ่น Modern MD272
- 100Hz Refresh Rate: มอบประสบการณ์การรับชมที่ราบรื่นยิ่งขึ้น
- USB Type-C พร้อม Power Delivery: มีพอร์ตเชื่อมต่อ USB Type-C พร้อมจ่ายไฟ 65W ชาร์จอุปกรณ์อื่นๆ ได้สะดวก
- หลากหลายการเชื่อมต่อ: รองรับการเชื่อมต่อที่หลากหลายด้วยพอร์ต Type-C, HDMI™ และ DP
- จัดเก็บสายเรียบร้อย: มีระบบจัดเก็บสายในตัว พร้อมทั้งยึดออกแบบให้ถอดได้ ช่วยให้โต๊ะทำงานของคุณดูรกรุงน้อยลง
- ติดตั้งกับขาตั้งได้: รองรับการจัดตั้งมาตรฐาน VESA ...

1. 1x DC Jack
2. 1x Type C (DP Alternate)
3. 1x DisplayPort (1.2a)
4. 1x HDMI™ (2.0b)
5. 1x Headphone-out
6. 1x USB 2.0 Type B
7. 2x USB 2.0 Type A



## SPECIFICATION

Model	Part No	9S6-3PB19H-214
	MKT Name	Modern MD272QXPW
	MKT Spec	Modern MD272QXPW
	Color	ID1/White-White
I/O Ports	HDMI™	1
	HDMI™ version	2.0b
	HDMI™ HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.3
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
I/O Ports (Front)	USB 2.0 Type B	1
I/O Ports (Rear)	USB 2.0 Type A	2
Power	Card Reader	N/A
	Annual Energy Consumption (KWh)	21W
	Power Type	External Adaptor 19V 5.79A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	E
	Adapter's KC safety Number	HU10450-13034
	Power Cord Type	C5
	QC Output Power	N/A
PD Output	Type C	
PD Output Power	65W	

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	5.85
	Weight (Gross kg)	8.15
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	613.5 x 200.8 x 413.3
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 7.91 x 16.27
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	230.81 x 200.81 x 427.68
	Stand Dimension (WxDxH) (inch)	9.09 x 7.91 x 16.84
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	613.5 x 57.5 x 362.5
	Product Dimension without Stand (WxDxH) (inch)	24.15 x 2.26 x 14.27
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
Weight	Weight Without Stand (kg)	3.9
Warranty	Warranty	36M
Barcode Info	EAN	4711377090544
	UPC	824142321362
	UCC14	10824142321369