



# H3C ADP040 40W Power Adapter

Release Date: October, 2019




# ADP040 40W Power Adapter

## Overview

ADP040-54V-GL is 40W power adapter for indoor wireless AP, and its Voltage input is from 90 to 264VAC, and output is 54VDC/0.74A.



## Features

Item	Specification
Size (L×W×H)	110mm × 62mm × 31.5mm
Weight	220g
Input Voltage	90V AC ~ 264V AC; 47~63Hz
Input Current	1.5A Max, at 115Vac, Full load 0.8A Max, at 230Vac, Full load
Input Connector*	IEC320 C14
Output Voltage	54V
Output rated current	0.74A
Output Power	40W
Output Connector	
Power Efficiency	Level VI
Protection	OCP,OVP,SCP
Temperature	Operation: -10°C ~ 45°C Non-operation: -40°C ~ 70°C
Humidity (Non-condensing)	5% ~ 95%



Item	Specification
Altitude	Up to 5000m
EMC	EN 55032: RE,CE
	CISPR 32: RE,CE
	IEC 61000-4-2: ESD
	IEC 61000-4-3: RS
	IEC 61000-4-4: EFT
	IEC 61000-4-5: Surge
	IEC 61000-4-6: CS
Safety Approvals	IEC 61000-4-11: DIPS
	CE,TUV,UL,CCC

\* **Note:** AC power cord will be configured with the adapter according to the country or areas



The Leader in Digital Solutions

## New H3C Technologies Co., Limited

Beijing Headquarters

Tower 1, LSH Center, 8 Guangshun South Street, Chaoyang

District, Beijing, China

Zip: 100102

Hangzhou Headquarters

No.466 Changhe Road, Binjiang District, Hangzhou, Zhejiang,

China

Zip: 310052

Tel: +86-571-86760000

Copyright ©2019 New H3C Technologies Co., Limited Reserves all rights

Disclaimer: Though H3C strives to provide accurate information in this document, we cannot guarantee that details do not contain any technical error or printing error. Therefore, H3C cannot accept responsibility for any inaccuracy in this document.

H3C reserves the right for the modification of the contents herein without prior notification

<http://www.h3c.com>